

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	232	713/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:24
L2	399	379/221.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:24
L3	258	379/88.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:24
L5	357888	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (call session communication connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:25
L6	231	1 and "4"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:25
L7	82	1 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:26
L8	218	2 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:26
L9	126	3 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:26
S4	4	"10002880"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:51
S5	1	10/002880	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:24

S6	1305	IP with mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:25
S7	53	IP with mobility and session near3 transfer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 18:27
S8	8	TCP with session with migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:36
S9	28	TCP with communication with migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 11:50
S10	67	TCP near3 migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 18:36
S11	14	(US-20020116475-\$ or US-20020120761-\$).did. or (US-5517618-\$ or US-5774660-\$ or US-5845079-\$ or US-6047323-\$ or US-6161123-\$ or US-6182139-\$ or US-6330615-\$ or US-6330616-\$ or US-6456621-\$ or US-6636961-\$ or US-6704117-\$ or US-6778540-\$). did.	US-PGPUB; USPAT	OR	ON	2005/06/25 18:28
S12	14	(IP mobil\$3 session transfer\$3 forward\$3 migrat\$3 TCP node destination address packet) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:32
S13	205	IP near5 migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 19:08
S14	151	IP near3 migrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 19:08

S15	14	(US-20020116475-\$ or US-20020120761-\$).did. or (US-5517618-\$ or US-5774660-\$ or US-5845079-\$ or US-6047323-\$ or US-6161123-\$ or US-6182139-\$ or US-6330615-\$ or US-6330616-\$ or US-6456621-\$ or US-6636961-\$ or US-6704117-\$ or US-6778540-\$). did.	US-PGPUB; USPAT	OR	ON	2005/06/25 20:33
S16	1	(IP mobil\$3 session transfer\$3 forward\$3 migrat\$3 TCP node destination address packet encapsulat\$3 encrypt\$3 authent\$7) and S15 and (random with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:34
S17	0	TCP near3 communicat\$3 near3 session with session adj key with (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:35
S18	47	communicat\$3 near3 session with session adj key with (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:36
S21	0	communicat\$3 near3 session with session adj key with (random adj number) same (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 20:37
S22	5	communicat\$3 near3 session with session adj key with (random adj number) and (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:35
S23	0	TCP adj communicat\$3 near3 session and (session adj key with (random adj number)) and (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:35
S24	0	TCP adj communicat\$3 and (session adj key with (random adj number)) and (mobile near3 communicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:36
S25	1	TCP adj communicat\$3 and (session adj key with (random adj number)) and (mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 21:36

S26	18	TCP with communicat\$3 and (session adj key with (random adj number)) and (mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 22:05
S27	22	TCP with communicat\$3 and (session adj key same (random adj number)) and (mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 22:06
S28	4	S27 not S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/25 22:06
S29	15299	(redirect\$3 forward\$3 rerout\$3 transfer\$3 relay\$3) same (session communicat\$3 connect\$3) same IP and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:24
S30	3140	IP near3 session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:55
S31	1180	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:55
S32	394	S29 and S30 and secur\$3 and \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:56
S33	183	S32 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:56
S34	9011	(redirect\$3 forward\$3 rerout\$3 transfer\$3 relay\$3) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:24
S35	870	S30 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:14

S36	114	S30 and S34 and @ay <= "2001" and secur\$3 and \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:14
S38	9020	(redirect\$3 re-direct\$3 forward\$3 rerout\$3 transfer\$3 relay\$3) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:26
S39	9	S38 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:25
S40	9042	(redirect\$3 re-direct\$3 forward\$3 rerout\$3 transfer\$3 relay\$3 divert\$3 diversion) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:32
S42	20	(redirect\$3 re-direct\$3 forward\$3 rerout\$3 transfer\$3 relay\$3 divert\$3 diversion call session communication connect\$3 session communicat\$3 connect\$3 IP TCP) and "6314284"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:35
S43	5	"6603849"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:35
S44	5	(redirect\$3 re-direct\$3 forward\$3 rerout\$3 transfer\$3 relay\$3 divert\$3 diversion call session communication connect\$3 session communicat\$3 connect\$3 IP TCP) and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:37
S45	1	(redirect\$3 re-direct\$3 forward\$3 rerout\$3 transfer\$3 relay\$3 divert\$3 diversion call session communication connect\$3 session communicat\$3 connect\$3 IP TCP) and S43 and (\$2crypt\$3 or secur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:32
S46	1529	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP and key and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:33

S47	828	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP and key and random and \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:34
S48	84	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP and session adj key and random and \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 17:25
S49	34	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (call session communication connect\$3) same (session communicat\$3 connect\$3) same IP and TCP and session adj key and random and \$2crypt\$3 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:58
S50	4	continuous with secure with session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:58
S51	42	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (encrypt\$3) with (call session communication connect\$3) same (session communicat\$3 connect\$3) and TCP and session adj key and random and \$2crypt\$3 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:00
S52	3	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3 divert\$3 diversion) with (encrypt\$3) adj2 (call session communication connect\$3) same (session communicat\$3 connect\$3) and TCP and session adj key and random and \$2crypt\$3 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:00
S53	100	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3) with (encrypt\$3) adj2 (call session communication connect\$3) same (session communicat\$3 connect\$3) and random and \$2crypt\$3 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:04

S54	3978	(mobile cellular) and (secur\$2 near3 (connect\$3 communicat\$3 transmi\$8)) and key and algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:19
S55	3504	(mobile cellular) and (secur\$2 near3 (connect\$3 communicat\$3 transmi\$8)) and key and algorithm and \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:03
S66	338	(redirect\$3 re-direct\$3 re-rout\$3 rerout\$3 transfer\$3) with (encrypt\$3 secur\$2 cipher\$3 tunnel\$3) adj2 (call session communication connect\$3) same (session communicat\$3 connect\$3) and random and \$2crypt\$3 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:17
S67	0	(tunnel secur\$2 encrypt\$3) near3 (channel connection communication transmission) same (session adj key) same first adj (mobile cellphone device pda) same second adj (mobile cellphone device pda) same (agent (base adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:20
S68	0	(tunnel secur\$2 encrypt\$3) near3 (channel connection communication transmission) same (session adj key) same first adj (mobile cellphone device pda) same second adj (mobile cellphone device pda) same (agent (base adj station)) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:20
S69	3	(tunnel secur\$2 encrypt\$3) near3 (channel connection communication transmission) and (session adj key) and first adj (mobile cellphone device pda) same second adj (mobile cellphone device pda) same (agent (base adj station)) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:21
S70	21	(tunnel secur\$2 encrypt\$3) near3 (channel connection communication transmission) and (session adj key) and first adj (mobile cellphone device pda) and second adj (mobile cellphone device pda) and (agent (base adj station)) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:41

S71	7	(tunnel secur\$2 encrypt\$3) near3 (channel connection communication transmission link) and (session adj key) with random and first adj (mobile cellphone device pda) and second adj (mobile cellphone device pda) and (agent (base adj station)) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:43
S72	30	(tunnel secur\$2 encrypt\$3) near3 (channel connection communication transmission link) and (key) with random and first adj (mobile cellphone device pda) and second adj (mobile cellphone device pda) and (agent (base adj station)) and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:43
S73	20	S72 not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:43
S74	7	("4182933" "4649233" "4794644" "5185796" "5301247" "5357571" "5375169").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 09:36